



SENTINEL Hub

Sentinel Hub Cloud Driver for EO Data

Grega Milcinski

Sinergise/Sentinel Hub

grega.milcinski@sinergise.com



EUROPEAN EO COMPANY
OF THE YEAR 2018

EARSC
European Association
of Remote Sensing
Companies

Sentinel-2

earth observation

satellite imagery

gis

natural resource

sustainability

disaster response

Description

The [Sentinel-2 mission](#) is a land monitoring constellation of two satellites that provide high resolution optical imagery and provide continuity for the current SPOT and Landsat missions. The mission provides a global coverage of the Earth's land surface every 5 days, making the data of great use in on-going studies. L1C data are available from June 2015 globally. L2A data are available from April 2017 over wider Europe region, planned to be expanded globally in July 2018.

Update Frequency

New Sentinel data are added regularly, usually within few hours after they are available on Copernicus OpenHub.

License

Access to Sentinel data is free, full and open for the broad Regional, National, European and International user community. View [Terms and Conditions](#).

Documentation

<http://sentinel-pds.s3-website.eu-central-1.amazonaws.com/>

Managed By

[Sinergise](#)

Contact

<https://forum.sentinel-hub.com/c/aws-sentinel>

Usage Examples

- [EO Browser](#) by [Sinergise](#)

Resources on AWS

Description

Level 1C scenes and metadata, in [Requester Pays](#) S3 bucket

Resource type

S3 Bucket

Amazon Resource Name (ARN)

`arn:aws:s3:::sentinel-s2-l1c`

AWS Region

`eu-central-1`

Description

[S3 Inventory](#) files for L1C

Resource type

S3 Bucket

Amazon Resource Name (ARN)

`arn:aws:s3:::sentinel-inventory/sentinel-s2-l1c`


AWS Region

`eu-central-1`


Description

Level 2A scenes and metadata, in [Requester Pays](#) S3 bucket





Copernicus - Sentinel-1, Sentinel-2



USGS – Landsat, MODIS



Digital elevation model




Machine learning

WMTS

WMS

WCS


API



Cloud GIS




Web / Mobile apps



Desktop (QGIS, ArcGIS...)



Scripting (Python, R, ENVI...)



[https://services.sentinel-hub.com/ogc/wcs/<INSTANCE>?SERVICE=WCS&REQUEST=GetCoverage
&COVERAGE=1_VV_ORTHORECTIFIED
&TIME=2018-07-17/2018-07-17
&BBOX=15.28815,107.07000,14.75496,106.09153
&RESX=20m&RESY=20m
&FORMAT=image/tiff&SRS=EPSG:4326](https://services.sentinel-hub.com/ogc/wcs/<INSTANCE>?SERVICE=WCS&REQUEST=GetCoverage&COVERAGE=1_VV_ORTHORECTIFIED&TIME=2018-07-17/2018-07-17&BBOX=15.28815,107.07000,14.75496,106.09153&RESX=20m&RESY=20m&FORMAT=image/tiff&SRS=EPSG:4326)

No worries about download, storage, decoding,
stitching scenes, reprojection, scaling, mosaicking,
meta-data parsing, backscatter calibration, orthorectification ...

Integrate Sentinel Hub in common web apps

Used parameters:

- one of the predefined visualizations - NDVI
- visualization using RGB bands
- with atmospheric correction
- without showing dates on tiles

Select the *maps* library and copy the code generated for the configured visualization.

- Leaflet v1.2.0
- Open Layers v3
- Google Maps API v3

Your code using Leaflet v1.2.0 library [code](#) [preview](#)

[download](#) [copy](#)

```
1
2 <!DOCTYPE html>
3 <html lang="en">
4
5 <head>
6   <meta charset="utf-8" />
7   <meta http-equiv="x-ua-compatible" content="ie=edge, chrome=1" />
8   <title>Sentinel Hub WMS services with Leaflet</title>
9   <style>
10     html,
11     body {
12       margin: 0;
13       padding: 0;
14       height: 100%;
15       width: 100%;
16     }
17
18     #devTestingDemo {
19       height: 100%;
20       width: 100%;
21     }
22   </style>
23
24   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/leaflet/1.2.0/leaflet.css" />
25   <script src="https://cdnjs.cloudflare.com/ajax/libs/leaflet/1.2.0/leaflet.js"></script>
26
27 </head>
28
29 <body>
30   <div id="devTestingDemo"></div>
31   <script>
32
33     // OpenStreetMap
34     let osm = L.tileLayer('http://{s}.tile.osm.org/{z}/{x}/{y}.png', {
35       attribution: '&copy; <a href="http://osm.org/copyright">OpenStreetMap</a> contributors'
36     });
37
38     // Sentinel Hub WMS service
39     // tiles generated using EPSG:3857 projection - Leaflet takes care of that
40     let baseUrl = "https://services.sentinel-hub.com/ogc/wms/bc56fb14-2c84-49fc-a826-6f4b5f7791c0";
41     let sentinelHub = L.tileLayer.wms(baseUrl, {
```

Get Sentinel and Landsat Imagery in your GIS

OpenStreetMap © Sentinel Hub

QGIS 2.18.7

Browser Panel

- Home
- Favourites
- /
- /Volumes
- DB2
- MSSQL
- PostGIS
- Spatialite
- OWS
- Tile Server (XYZ)
- WCS
- WFS
- WMS

Layers Panel

- ☒ Sentinel 2 - Vegetation Index - NDVI
- ☒ OpenStreetMap WMS - by terrestris

SentinelHub

Renderer Download

Instance ID: eb5a7

Renderer: Vegetation Index - NDVI

CRS: EPSG:3857

Time range ☐ Use exact date

Select start date from calendar Select end date from calendar

November 2017						
S	M	T	W	T	F	S
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	1	2
3	4	5	6	7	8	9

Cloud coverage 20%

Update Layer

Sentinel 2 - Vegetation Index - NDVI Update

Add WMS

1 legend entries removed. Coordinate 1376417,5603047 Scale 1:89.648 Magnifier 100% Rotation 0,0 ☒ Render EPSG:3857 (OTF)

Service: Process ▼



Search...

AUTHENTICATION


POST PROCESS

Process

HEADER PARAMETERS

→ Accept string
Enum: "image/jpeg" "image/png" "image/tiff"
"application/json" "application/tar" "multipart/mixed"

REQUEST BODY SCHEMA: application/json ▼



POST /api/v1/process ▼

Request samples

Payload

Curl

application/json ▼

Copy Expand all Collapse all

```
{
  - "input": {
    + "bounds": { ... },
    + "data": [ ... ]
  },
  "evalscript": "string",
  - "output": {
    "width": 1,
    "height": 1,
    + "responses": [ ... ]
  }
}
```

Response samples


200

400


500

image/jpeg ▼


No sample



Identify Results	
Feature	Value
▼ 0	Sentinel-2 L1C fr...
▼ Sentinel-2 L1C from 201...	
Band 1	0.707848
► (Derived)	



```
{
  "NDVI": [
    {
      "date": "2015-08-30",
      "basicStats": {
        "min": -0.5478424429893494,
        "max": 0.7815912365913391,
        "mean": 0.147320137875888,
        "stDev": 0.35443419609590726
      }
    },
    {
      "date": "2015-07-11",
      "basicStats": {
        "min": -0.5127978920936584,
        "max": 0.8115044236183167,
        "mean": 0.20168528533031557,
        "stDev": 0.31436594348376923
      }
    }
  ]
}
```



Custom processing script

- Pre-defined product (true color, false color, etc.)
- Custom band combination
 `return [B08, B04, B03];`
- Various indices
 `var val = (B08-B04)/(B08+B04);`
 `return [val];`
- More complex algorithms
 - LAI, FAPAR – (basic) neural networks
 - <https://github.com/sentinel-hub/custom-scripts/blob/master/sentinel-2/lai/script.js>
- <https://github.com/sentinel-hub/custom-scripts/>

custom-scripts

A repository of custom scripts that can be used with Sentinel-Hub services.

[View On GitHub](#)



Wildfire visualization

Evaluate and visualize

General description

References

Wildfire visualization

[Hide](#) script or [download](#) it.

```
// ***
// Visualizing (wild)fires in Sentinel-2 imagery
// For use in Sinergise EO Browser (http://apps.sentinel-hub.com/eo-browser)
// Pierre Markuse (@pierre_markuse)
// ***


// Functions
function A(a, b) {return a + b};
function stretch(val, min, max) {
    return (val - min) / (max - min);
}

// Some basic colors
var BLACK = [0.0, 0.0, 0.0];
var WHITE = [1.0, 1.0, 1.0];
var RED = [0.9, 0.1, 0.1];
var YELLOW = [0.9, 0.9, 0.1];
var GREEN = [0.1, 0.9, 0.1];

// Band combinations
```

Sentinel-Hub by Sinergise

<http://custom-scripts.sentinel-hub.com>



<http://apps.sentinel-hub.com/sentinel-playground/>

 EO Browser

Search

Visualization

My pins

Satellite: SENTINEL-2 L1C

L2A

Date: 2018-03-26

Custom

Create custom rendering

True color

Based on bands 4,3,2

False color

Based on bands 8,4,3

False color (urban)

Based on bands 12,11,4

NDVI

Based on combination of bands $(B8 - B4) / (B8 + B4)$

Moisture index

Based on combination of bands $(B8A - B11) / (B8A + B11)$

SWIR

Based on bands 12,8A,4

NDWI

Based on combination of bands $(B3 - B8) / (B3 + B8)$

Analytical [?]


Powered by [Sinergise](#) with contributions from the European Space Agency

300 m

[About EO Browser](#)

[Contact us](#)

[Get data](#)








HD @HarelDan · 24 Oct 2017

Tip: Blue field growing, Green fields maturing, Yellow Fields ripe, Red fields reaped/drying. Same place, 3 days ago apps.sentinel-hub.com/sentinel-playg...



4 5 20



Stef Lhermitte

@StefLhermitte

Following


Replying to @HarelDan @sentinel_hub and 4 others


Wow! The moment even my mom can classify petabytes in seconds on her very old computer is getting closer. Just need to teach her Javascript


8:14 AM - 25 Oct 2017

1 Retweet 9 Likes









Datasets

- Sentinel-1 GRD
 - Sentinel-2 L1C and L2A
 - Landsat-8
 - MODIS
 - DEM
-
- Adding more!

Statistics – January 2019



SENTINEL Hub
by SINERGISE



Sentinel Hub



28 k
registered users



68 M
processed requests



5 PB
of satellite imagery



300 TB
added every month

4 Sentinel missions

3 Landsat missions

MODIS

Envisat


EO Browser





24 k
monthly visitors



20 M
processed requests




Open-source and free to use



Visitors from 159 countries

Performance



[illegible]



```
In [12]: path_out = './eopatches_small/' if use_smaller_patches else './eopatches_large/'

# Reference colormap
sys.path.append('../example_data/')
from lulc_cmap import lulc_cmap, lulc_norm
from lulc_classes import lulc_classes


fig, axes = plt.subplots(figsize=(20,20*aspect_ratio), nrows=3, ncols=3)


pbar = tqdm(total=9)
for i, ax in enumerate(axes.flat):
    eopatch = EOPatch.load('{}eopatch_{}'.format(path_out, i)) if save_choice else eopatches[i]
    im = ax.imshow(eopatch.mask_timeless['LULC'].squeeze(), cmap=lulc_cmap, norm=lulc_norm)
    ax.set_xticks([])
    ax.set_yticks([])
    ax.set_aspect("auto")
    pbar.update(1)
    del eopatch


fig.subplots_adjust(wspace=0, hspace=0)

cb = fig.colorbar(im, ax=axes.ravel().tolist(), orientation='horizontal', pad = 0.01, aspect=100)
cb.ax.tick_params(labelsize=20)
cb.set_ticks(np.array(list(lulc_classes.values())))
cb.ax.set_xticklabels(list(lulc_classes.keys()),rotation=45,fontsize=15)
plt.show()

HBox(children=(IntProgress(value=0, max=9), HTML(value='')))
```







BLUEDOT

WATER OBSERVATORY

Search water bodies

Type name or country

Altınapa (Turkey)

water body

2018-09-19



observation date

38%

surface area

82

total observations



Summary

It was never never easier to get and exploit mass amount of EO data.

Test it with a free trial account.

Mark your need for Sentinel Hub in the AWS-GEO application.

Make use of open-source tools.

More info

- <http://sentinel-hub.com/>
- <http://apps.sentinel-hub.com/eo-browser/>
- <https://sentinel-hub.github.io/custom-scripts/>
- <https://github.com/sentinel-hub/eo-learn>
- <https://education.sentinel-hub.com>

Thanks

